

EPOXY WATERPROOFING SOLUTIONS



PROTECTING YOUR ASSETS FROM
WATER DAMAGE

WELCOME TO
DORO

Your Partner in Waterproofing Solutions

At DORO we specialize in providing high-quality epoxy waterproofing solutions to protect your assets from water damage.



EPOXY ROOF SEAL PREMIUM

BENEFITS OF EPOXY WATERPROOFING

Why Choose Epoxy Waterproofing?

- Prevents water damage and leaks
- Durable and long-lasting
- Chemical and stain resistant
- Easy to clean and maintain
- Enhances surface appearance

APPLICATIONS

Epoxy Waterproofing for Various Industries

- Industrial flooring
- Commercial and residential buildings
- Infrastructure projects (bridges, tunnels, etc.)
- Marine and waterfront structures



SERVICES

Our Epoxy Waterproofing Service

- solution for protecting your assets from water damage. Our team of experts will assess your site, recommend the best epoxy waterproofing solution, and apply the coating to ensure a watertight seal.

CASE STUDIES

Real-World Success Stories

- Industrial facility waterproofing
- Commercial building basement waterproofing
- Bridge deck waterproofing

PERFORMANCE FEATURES

- Water damage can be costly and devastating. Protect your space with our epoxy waterproofing solutions.
- Our epoxy waterproofing solutions are designed to provide long-lasting protection against water intrusion.
- With our epoxy expertise, you can enjoy peace of mind knowing your space is secure.



HIGH
ADHESION



WATER
PROOFING



CHEMICAL
RESISTANCE



UV
STABILITY

DETAILS

DORO SYNTROFOS

8921 589 670
8075 541 696

doro@dorosyntrofos.com

www.dorosyntrofos.com

3/479b, St Marys Road
Near Allain palace, Pazhanji,
Thrissur, Kerala
DORO SYNTROFOS





Join The Strength with Epoxy Tile Joints

Waterproof your floors with our
expert epoxy solutions



JOINT FILLING
1 MM UP TO 15 MM



CHEMICAL
RESISTANCE



WATER
PROOFING



UV
STABILITY

2 COMPONENT EPOXY TILE JOINT

Enhanced Tile Bonding Formula

DORO SYNTROFOS

3/479b, St Mary's Road,
Near Allain Palace, Pazhanji,
Thrissur, Kerala



+91 8921589670, +91 8075541696

doro@dorosyntrofos.com

www.dorosyntrofos.com

PRODUCT DESCRIPTION

High-performance, two-component epoxy grout for ceramic tiles and stone. Excellent chemical and thermal resistance

ADVANTAGES

- High strength and durability
- Chemical resistant and waterproof
- Thermal shock resistant
- Low shrinkage and high adhesion
- Easy to mix and apply
- Available in various colours

CERTIFICATIONS

ISO 9001 :2015 I A F , E I A C accreditation

ADHESION AND BONDING

- Adhesion strength: 350 psi (2.41 MPa) to concrete
- Bonding to substrates: Concrete, cement, Tile, stone

APPLICATION

- Mix thoroughly for 2-3 minutes
- Apply with a notched trowel or grout float
- Clean tools and surfaces with solvent before Curing

Mixing Ratio : 9:1 (Resin : Hardener) by weight

TECHNICAL DATA	
PHYSICAL PROPERTIES	
Colour	Black (Custom colours available)
Density	1.92 g/cm
Viscosity	15,000 cP (at 25°C)
MECHANICAL PROPERTIES	
Compressive strength	75 MPa (10,875 psi)
Tensile strength	35 MPa (5,075 psi)
Flexural strength	45 MPa (6,525 psi)



CHEMICAL RESISTANCE

- Resistant to water, acids (HCl, H₂SO₄) And alkalis (Na OH, KOH)
- Resistant to specified chemicals (e.g., ethanol, isopropanol)

THERMAL PROPERTIES

- Thermal expansion: 1.1% (at 20°C to 100°C)
- Heat resistance: 120°C (248°F)

PACKAGING & STORAGE

- Packaging Size : 1 kg (2.2 lbs) and 5 kg (11 lbs) Containers
- Storage Conditions : Dry, cool place (20°C -30°/68°F - 86°f)

SAFETY PRECAUTIONS

- Wear protective gloves, safety glasses, and A mask
- Avoid skin contact and inhalation of fumes
- Use in well-ventilated areas, away from heat Sources



DORO SYNTROFOS

3/479b, St Marys Road,
Near Allain Palace, Pazhanji,
Thrissur, Kerala

☎ +91 8921589670, +91 8075541696

✉ doro@dorosyntrofos.com

🌐 www.dorosyntrofos.com